







# Lexmark C77x Series

						
Product	Lexmark C770n	Lexmark C770dn	Lexmark C770dtn	Lexmark C772n	Lexmark C772dn	Lexmark C772dtn
Part Number	22L0050	22L0150	22L0200	24A0050	24A0150	24A0200
Street Price	\$999	\$1,299	\$1,549	\$1,499	\$1,799	\$2,099
Maximum Speed	25 ppm/25 ppm					
Maximum Resolution	4800 Color Quality					
Time to First Page	As fast as <13 sec/<15 sec					
Processor	800 MHz					
Memory (std/max)	256MB/768MB					
Connectivity	USB, Ethernet					
Automatic Two-Sided Printing	Optional	Standard		Optional	Standard	
Paper Handling (sheets)						
Standard Input	500 + 100		500 + 100 + 500		500 + 100 + 500	
Maximum Input	500 + 100 + 500			500 + 100 + 500 + 2,000		
Input Options	500-sheet drawer, 500-sheet duplex	500-sheet drawer	None	500-sheet drawer, 500-sheet duplex, 2,000-sheet high capacity	500-sheet drawer, 2,000-sheet high capacity	2,000-sheet high capacity
Output (std/max)	250/250			250/9000		
Output Options	None			5-bin mailbox, Output Expander, StapleSmart Finisher		
Printer Languages	PCL 6, PostScript 3, PPDS Migration Tool					
Direct PDF Printing	v1.5					
Maximum Monthly Duty Cycle	100,000 pages			120,000 pages		
Warranty	1 year LexOnSite <sup>SM</sup>					



Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries.

# Lexmark C770n Competitive Comparison

Product	Lexmark C770n	Xerox Phaser 8500n	HP CLJ 3800n	Dell 5110cn
Street Price	\$999	\$899	\$999	\$999
Maximum Speed	25 ppm	Up to 24 ppm	Up to 22 ppm	40 ppm/35 ppm
Maximum Resolution	4800 Color Quality	1200 FinePoint	600 x 600 dpi	600 x 600 dpi
Time to First Page	<13/<15 seconds	As fast as 6 seconds	<12.5 seconds	N/A
Processor	800 MHz	600 MHz	533 MHz	400 MHz
Memory (std/max)	256MB/768MB	128MB/512MB	160MB/544MB	128MB/1152MB
Connectivity	USB, Ethernet	USB, Ethernet	USB, EIO, Ethernet	Parallel, USB, Ethernet
Automatic Two-Sided Printing	Optional	N/A	Manual	Standard
Paper Handling (sheets)				
Standard Input	600	625	350	650
Maximum Input	1,100	625	850	2,150
Input Options	500-sheet drawer, 500-sheet duplex	None	500-sheet drawer	500-sheet drawer, 1,000-sheet drawer
Output (std/max)	250	300	200/200	250/250
Output Options	None	None	None	None
Printer Languages	PCL 6, PS3, PPDS	PCL 5c, PS3	PCL 5c & 6, PS3	PCL 5e & 6, PS3
Direct PDF Printing	v1.5	N/A	v1.4	N/A
Maximum Monthly Duty Cycle	100,000 pages	85,000 pages	65,000 pages	95,000 pages
Warranty	1 year LexOnSite	1 year onsite	1 year next day onsite	1 year next day onsite

# Lexmark C772n Competitive Comparison

Product	Lexmark C772n	HP CLJ 4700n	Xerox Phaser 6300N	Dell 5110cn
Street Price	\$1,499	\$1,999	\$1,299	\$999
Maximum Speed	25 ppm	31 ppm	36 ppm/26 ppm	40 ppm/35 ppm
Maximum Resolution	4800 Color Quality	600 x 600 dpi	2400 dpi	600 x 600 dpi
Time to First Page	<13/<15 seconds	<10 seconds	As fast as 12 seconds	N/A
Processor	800 MHz	533 MHz	800 MHz	400 MHz
Memory (std/max)	256MB/768MB	160MB/544MB	256MB/1GB	128MB/1152MB
Connectivity	USB, Ethernet	Parallel, USB, EIO	USB, Ethernet	Parallel, USB, Ethernet
Automatic Two-Sided Printing	Optional	Manual	N/A	Standard
Paper Handling (sheets)				
Standard Input	600	600	700	650
Maximum Input	3,100	600	700	2,150
Input Options	500-sheet drawer, 500-sheet duplex, 2,000-sheet high capacity	None	None	500-sheet drawer, 1,000-sheet drawer
Output (std/max)	250/900	500/500	250/250	250/250
Output Options	5-bin mailbox, Output Expander, StapleSmart Finisher	N/A	N/A	None
Printer Languages	PCL 6, PS3, PPDS	PCL 5c & 6, PS3	PCL 5c, PS3	PCL 5e & 6, PS3
Direct PDF Printing	v1.5	Yes	N/A	N/A
Maximum Monthly Duty Cycle	120,000 pages	100,000 pages	100,000 pages	95,000 pages
Warranty	1 year LexOnSite	1 year next day onsite	1 year onsite	1 year next day onsite

# Lexmark X772e MFP Competitive Comparison

Product	Lexmark X772e	HP 4730x MFP	Xerox Copy Centre C2424DX
Street Price	\$4,499	\$5,299	\$3,399
Standard MFP Functions	P/C/S/F	P/C/S/F	P/C/S
Print/Copy Speed	Up to 25 ppm	Up to 30 ppm	Up to 24 ppm
Max Resolution	4800 Color Quality	600 x 600 dpi	2400 FinePoint, 600 x 600 dpi
Processor	800 MHz	533 MHz	500 MHz
Memory Std/Max	384MB/768MB	256MB	512MB/1GB
Datastreams	PCL 6, PS3, PPDS	PCL 5c & 6, PS3, PML	PCL 5c, PS3
Connectivity Std Interfaces	USB, Ethernet	Parallel, EIO, USB, Ethernet	USB, Ethernet
Monthly Duty Cycle	120,000 pages	175,000 pages	85,000 pages
<b>Fax</b>			
Fax Modem Speed	33.6Kbps	33.6Kbps	N/A
Transmission Speed (sec/pg)	3		N/A
Fax Memory			N/A
<b>Copy</b>			
Design Style	Flatbed	Flatbed	Flatbed
Glass Size	Legal	Letter	Legal
Max ADF Capacity (sheets)	50	50	50
Copy Resolution	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Max Number of Copies	999	999	
Reduction/Enlargement	25%-400%	25%-400%	25%-400%
Collation	Yes	Yes	Yes
N in 1 Function	2in1/4in1	2in1/4in1	2in1/4in1
<b>Scan</b>			
Scanning Capability	B&W/Color	B&W/Color	B&W/Color
Optical Scan Resolution	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Input Color Scan Bit Depth	24-bit	30-bit	
<b>Paper Handling</b>			
Input Std/Max (sheets)	1,600/1,600	1,600/1,600	625/1,150
Output Capacity (sheets)	250/250	500/500	250/250
SWE Cartridge	10,000 CMYK	12,000 CMYK	3,400 CMYK
Aftermarket Cartridge	6,000/10,000/15,000 CMYK	12,000 CMYK	3,400 CMYK; 6,800 K
Warranty	1 year onsite	1 year onsite next day	1 year return to depot



Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries.